

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 217 809 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
26.06.2002 Bulletin 2002/26

(51) Int Cl.7: H04M 1/24, H04M 1/725,
H04M 1/247, H04M 3/42

(21) Application number: 01309524.5

(22) Date of filing: 12.11.2001

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: Garrett, Suzanne
Fleet, Hants, GU13 0YN (GB)

(74) Representative: Read, Matthew Charles et al
Venner Shipley & Co.
20 Little Britain
London EC1A 7DH (GB)

(30) Priority: 20.12.2000 GB 0031075

(71) Applicant: Nokia Corporation
02150 Espoo (FI)

(54) Mobile telecommunications device

(57) The present invention relates to a mobile telecommunications device such as a mobile telephone 1. The device includes a display (5) and a control unit

(4,10,11,12) configured to display a menu of pending calls, one call being selectable from the menu by a user to display a sub-menu listing call handling options associated with the selected call.




FIGURE 3A




FIGURE 3B




FIGURE 4A




FIGURE 4B

Description

[0001] The present invention relates to the field of mobile telecommunications devices and, in particular, to mobile telephones.

[0002] A mobile telephone incorporates a liquid crystal display to provide its user with information concerning the status of the telephone and to enable a large number of different functions to be accessed and selected easily. As the display is usually fairly small, only very limited information can be displayed on it at the same time otherwise it becomes cluttered and difficult to read. Therefore, to select a particular function, the user generally needs to access one or more menus listing various options. By selecting one of those options the function may be performed or a sub-menu may appear listing further options specifically associated with the initial menu selection.

[0003] A disadvantage with a conventional mobile telephone having a small display is that for many functions there are a considerable number of different options listed in each menu or sub-menu only part of which can be displayed at once. To view the remaining options listed in the menu or sub-menu, the user must scroll down the list so that those at the top of the list disappear off the top of the screen and those at the bottom of the list come into view. Although this arrangement works fairly well, sometimes it is desirable to be able to see the whole menu or sub-menu to avoid confusion and improve functionality and ease of use. Confusion particularly occurs when multiple calls are received simultaneously as the list of call handling options for a plurality of calls becomes very long. Furthermore, although active voice calls, waiting voice calls, held voice calls and data calls may have individual options specific to that particular type of call, some options apply to all types of call and it can be difficult for the user to easily remember which option applies to which call especially when active, held and waiting calls are all pending simultaneously and this leads to call handling errors. It is also slower for the user to access the required option as the menu listing all the options for these calls is very long and so the user sometimes has to scroll through a large number of options before the required option is located.

[0004] Some conventional mobile telephones have attempted to solve this problem by referencing an active call with an index number that appears on the display together with the list of all the different call options for each call so that the user can tell whether the option they select will apply to the active call. However, to show the status of all calls when there are several active at once, index numbers for each call would have to be displayed. This makes the display too cluttered and it therefore becomes even harder to read. This problem will become more significant in future when telephones capable of handling even more pending calls at the same time are developed.

[0005] A common problem with call handling multiple

calls is the function performed by the "End" key which is generally used to terminate a call. However, in circumstances where there are multiple pending calls, it is not immediately apparent to a user which call they are terminating when the "End" key is actuated. Again, this renders the call handling facility difficult to use and prone to user error.

[0006] It is an object of the present invention to overcome or alleviate the problems mentioned above and expand the flexibility of call handling.

[0007] According to the present invention, there is provided a mobile telecommunications device including a display and a control unit configured to show a menu of pending calls on the display, one call being selectable from the menu by a user to display a sub-menu listing call handling options associated with the selected call.

[0008] Preferably, the list of options in a sub menu changes depending on the status of pending calls in the menu. The status of the calls may be identified in the menu and the status of the selected call may also be identified in the sub-menu.

[0009] The call selected from the menu is conveniently identified on the sub-menu adjacent the list of options associated with the selected call.

[0010] In a preferred embodiment, the control unit is configured to display the status of each pending call in the menu.

[0011] The control unit advantageously includes a scroll key and an option key configured such that the user can highlight a pending call in the menu using the scroll key and select said highlighted call by pressing the option key.

[0012] Preferably, the control unit additionally includes a selection key having a function dependent on the status of the highlighted call when the menu of pending calls is displayed.

[0013] In another embodiment, the control unit includes a selection key having a function dependent on the status of other pending calls when the menu of pending calls is displayed.

[0014] The function associated with the selection key may, advantageously, be performed by actuating the selection key after highlighting a call in the menu and before selecting that call to display a sub-menu listing call handling options associated with the selected call.

[0015] The mobile telecommunications device is, according to a preferred embodiment, a mobile telephone.

[0016] The present invention also provides a method of handling multiple calls in a mobile telecommunications device including a display and a control unit configured to display a menu of pending calls, the method including the step of selecting a pending call from the menu to display a sub-menu listing call handling options associated with the selected call.

[0017] The control unit preferably includes a scroll key and the step of selecting a pending call from the menu includes operating the scroll key to highlight a call in the menu.

[0018] In a preferred embodiment, the control unit includes an option key and the step of selecting a call from the menu includes operating the option key to display the sub-menu listing call handling options associated with the highlighted call.

[0019] Preferably, the control unit includes a selection key having a function dependent on the status of the highlighted call when the menu of pending calls is displayed, the method including the step of actuating the selection key after highlighting a call in the menu and before selecting that call to display a sub-menu listing call handling options associated with the selected call.

[0020] Embodiments of the invention will now be described, by way of example only, with reference to the accompanying drawings, in which:

Figure 1 is an illustration of the front perspective view of a mobile telephone for connection to a cellular or cordless network;

Figure 2 is a schematic illustration of the main components of the mobile telephone illustrated in Figure 1;

Figures 3A and 3B illustrate a partial view of the front casing of the mobile telephone shown in Figure 1 showing a typical screen display when there is a pending answered and unanswered waiting call, the answered call being highlighted in Figure 3A and the unanswered call being highlighted in Figure 3B;

Figure 4A shows the same view as Figure 3A following activation of the "option key";

Figure 4B illustrates the same view as Figure 3B following activation of the "option key";

Figure 5A and 5B illustrate a partial view of the front casing of the mobile telephone shown in Figure 1 showing a typical screen display when there is a pending answered call and held call, the answered call being highlighted in Figure 5A and the unanswered call being highlighted in Figure 5B;

Figure 6A shows the same view as Figure 5A following activation of the "option key";

Figure 6B shows the same view as Figure 5B following activation of the "option key";

Figure 7A and 7B illustrate a partial view of the front casing of the mobile telephone shown in Figure 1 showing a typical screen display when there is a pending held call and a waiting call, the held call being highlighted in Figure 7A and the waiting call being highlighted in Figure 7B;

Figure 8A shows the same view as Figure 7A following activation of the "option key";

Figure 8B shows the same view as Figure 7B following activation of the "option key";

Figure 9A, 9B and 9C illustrate a partial view of the front casing of the mobile telephone shown in Figure 1 showing a typical screen display when there is a pending answered call, a held call and an unanswered waiting call, the answered call being

highlighted in Figure 9A, the held call being highlighted in Figure 9B, and the waiting call being highlighted in Figure 9C;

Figure 10A shows the same view as Figure 9A following activation of the "option key";

Figure 10B shows the same view as Figure 9B following activation of the "option key";

Figure 10C shows the same view as Figure 9C following activation of the "option key"; and

Figures 11A to 11C are flowcharts showing the sequence of steps involved in handling two calls, Call # 1 being an answered call and Call #2 being a waiting call.

[0021] The general components and operation of a mobile telephone 1 will now be described with reference to Figures 1 and 2. The telephone 1 has a front casing portion 2 and a rear casing portion 3. A user interface is provided in the front casing portion 2 and includes a display 5, an ear-piece 6, a microphone 7, and a control unit comprising an on/off key 8, a keypad 4 a scroll key 9. The telephone 1 is adapted for communication via a wireless telecommunications network, e.g. a cellular network. However, the telephone 1 could also have been designed for a cordless network. The keypad 4 has a first group of keys which are alphanumeric and by means of which a user can enter a telephone number, write a text message (SMS) or write a name associated with a particular number, etc.

[0022] The keypad 4 additionally includes three soft keys 10, 11, 12. The first soft key 10 is an "End" key and is used for terminating or dropping calls. The second soft key 11 is an "Option" key and is used to call up menus from which the required function can be selected. The third soft key or middle soft key 12 is a selection key and its function changes depending on the status that the telephone is in and on what is shown on the display 5. The function of these three soft keys 10, 11, 12 will become more apparent from the description that follows. The scroll key 9 is used for moving a highlight bar 28 (see below) over a particular item listed in a menu to enable it to be selected and performed or a sub-menu of options relating to that item to be displayed for subsequent highlighting and selection of a particular option.

[0023] Figure 2 illustrates the main parts of the telephone 1 which is adapted for use in connection with a GSM network or any other mobile telephone network and may also be configured to meet the wireless application protocol specification (WAP). The telephone 1 is driven by a removable battery pack 13. Signal processing is carried out under the control of a digital microcontroller 14 which has an associated RAM/ROM 15 and a flash memory 16. Electric analogue signals are produced by microphone 7 and amplified by pre-amplifier 17. Similarly, analogue audio signals are fed to ear piece 6 through amplifier 18. The micro controller 14 receives instruction signals from the keypad 4 including the soft keys 10, 11, 12 and controls the operation of the display

5. Radio signals are transmitted and received by means of an antenna 21 connected through an rf stage 22 to a codec 23 configured to process signals under the control of the micro-controller 14. Thus, in use, for speech, the codec 23 receives analogue signals from microphone amplifier 17, digitises them into a form suitable for transmission and feed them to the rf stage 22 for transmission through antenna element 21 to the public land mobile network (PLMN). Similarly, received signals are fed to codec 23 so as to produce analogue signals fed to amplifier 18 and ear piece 6.

[0024] Referring now to Figures 3 and 4, there is shown a partial view of the front face of the mobile telephone 1 illustrated in Figure 1 in which only the display 5, the three soft keys 10, 11, 12 and the scroll key 9 are visible. A call status screen is shown on the display from which a user can determine that there are two pending calls, an active answered call 24 from "John Smith", and an unanswered waiting call 25 from "David Brown".

[0025] The status of each call, i.e. whether it is an active answered call, a waiting call or a held call is designated graphically in each screen shot by an icon which clearly designate the status of a call without unduly cluttering up the display 5. For example, in the figures, a graphical representation of a telephone receiver 26 represents an active answered call 24, a graphical representation of a telephone receiver 26 positioned just above a telephone cradle 27 represents a held call, and a graphical representation of a telephone receiver 26 in position on a telephone cradle 27 represents an unanswered waiting call 25. It will be appreciated that any other means of clearly designating the status of each call may be used instead.

[0026] In Figure 3A, the answered call 24 is shown highlighted by highlight bar 28, i.e. the colour of the font and the background surrounding the name "John Smith" is reversed. This is achieved by actuating the scroll button 9 until the highlight bar 28 is positioned over the desired name. As "John Smith" is an answered call 24, activating the middle soft key or selection key 12 whilst the highlight bar 28 is located over this call will "hold" the call 24 from "John Smith", as shown by the function indicator 29 which appears at the bottom edge of the display 5 above the selection key 12 in Figure 3A when the highlight bar 24 is positioned over an answered call 24.

[0027] In Figure 3B, the unanswered waiting call 25 from "David Brown" is shown with the highlight bar 28 positioned over it. In this case, activating the selection key 12 will "reject" the waiting call from "David Brown" as shown by the function indicator 30 which appears at the bottom edge of the display 5 above the selection key 12 when the highlight bar 28 is positioned over a waiting call.

[0028] From the foregoing, it will be appreciated that the function of the selection key 12 changes depending on the status of the highlighted call 28. It will also become apparent that the function of the selection key 12 may also depend on the status of any of the other re-

maining calls. The idea being that the selection key 12 has the most widely used function attributed to it for the type of call that is highlighted and the remaining pending calls listed in the call status menu. In the present case, the most frequently required handling option for an active call, when there is a pending active and waiting call, is to "hold" the active call so that the waiting call can be answered, whereas the most frequently required handling option for a waiting call, when there is a pending active and waiting call, is to "reject" the waiting call so that the answered call can be continued without interruption. This dynamic changeable function of the selection key 12 provides quicker access to the most widely used options specific to a type of call and other pending calls listed on the call status screen.

[0029] Figure 4A represents the same partial view of the telephone as illustrated in Figure 3A following actuation of the option key 11. It can now be seen that the display 5 shows a sub-menu of options listing a number of features which are specific to the answered active call 24 from "John Smith" such as "new call"; "send DTMF"; "Drop all calls" and "Main menu". It will be appreciated that the "hold" feature does not appear in the list of sub-menu options, as this feature is quickly accessed by actuating the selection soft key 12, as previously described, so there is no need for it to appear in the sub-menu options. Other options relevant to the operation of the telephone rather than the calls themselves are also listed in the sub-menu, examples of these are "audio filter"; "whisper" and "mute". It will be appreciated that all the sub-menu options fit on a single screen shot and there is no need to actuate the scroll key 9 to see further options not visible on the display 5, as in the case of a conventional telephone in which all the call handling options for all the calls are listed in the same menu. The scroll key 9 is used to highlight a particular option in the sub-menu list. Furthermore, the user knows exactly which options apply to which call as the name and status of the caller 24 remains at the top of the display 5 when the sub-menu is displayed.

[0030] Once the sub-menu is displayed, the user may activate a particular function by pressing the scroll key 9 to move the highlight bar 28 over the required option and by pressing the selection key 12. It will be apparent that when a sub-menu is displayed rather than the call status menu, actuating the selection soft key 12 activates or selects the highlighted option in that sub-menu, as designated by the function indicator 31 at the bottom of the display 5 just above the selection key 12 where the word "select" appears when a sub-menu of options specific to a call is displayed.

[0031] In Figure 4B, the same partial view of the telephone illustrated in Figure 3B is shown following actuation of the option key 11. It can now be seen that the screen displays a sub-menu of options specific to the waiting call 25 from "David Brown". In this example, the options "Forward"; "Answerphone" and "Voicemail" are options specific to a waiting call. It will be appreciated

that the option to "reject" waiting call does not appear in the list of sub-menu options as this feature is quickly accessed by actuating the selection soft key 12, as previously described. Other options which are relevant to operations of the telephone 1 rather than call handling options also appear in the list of sub-menu options and examples of these are as follows: "drop all calls"; "main menu"; "audio filter"; "whisper" and "mute". It will be appreciated that, as with the answered call 24 from "John Smith", all the sub-menu options for the waiting call 25 from "David Brown" fit on a single screen shot and there is no need to actuate the scroll key 9 to find a required option not shown on the display 5. On the contrary, the scroll key 9 is only used to highlight a visible chosen option. Furthermore, the user knows exactly which options apply to which call as the name and status of the caller 25 remains at the top of the display 5 when the sub-menu is displayed. Actuating the soft key 12 will now "select" the highlighted option in the call specific menu as indicated by function designator 31.

[0032] Referring now to Figures 5A and 5B, there is shown a partial view of the front casing of the mobile telephone on which is shown a call status screen listing an answered call 24 from "John Smith" and an answered but held call 32 from "Brian Hill". It can be seen that the answered 24 call from "John Smith" has the highlight bar 28 positioned over it in Figure 5A and the held call from "Brian Hill" has the highlight bar 24 positioned over it in Figure 5B.

[0033] The function of the selection key 12 when there is a pending answered call and a pending held call is "Swap", as indicated by the function indicator 33 at the foot of the display 5. In this case, the function is the same irrespective of whether the answered or held call is highlighted with the highlight bar 28. The "swap" function of the selection key 12 enables a user to switch between the active answered call 24 and the held call 32 at the press of a single key 12.

[0034] Figure 6A shows the same partial view of the telephone illustrated in Figure 5A, except that the option key 11 has now been actuated. It can now be seen that the display 5 shows a call specific menu of options relating to the answered call 24 from "John Smith" when there is another call 32, in this case from "Brian Hill" on hold. In the present example, the list of options includes "Conference"; "Transfer"; "Send DTMF"; "Drop All Calls" and "Main Menu" and some more commonly used features which are options which apply to the telephone rather than to call handling, such as "Audio Filter"; "Whisper" and "Mute".

[0035] Figure 6B shows the same partial view of the telephone illustrated in Figure 5B, except that the option key 11 has now been actuated. It can now be seen that the display 5 shows a call specific menu of options relating to the held call 32 from "Brian Hill". In the present example, the list of options includes "Conference"; "Transfer"; "Drop All Calls" and "Main Menu". Other options that apply more to the functions of the telephone

rather than to call handling such as "Audio Filter"; "Whisper" and "Mute" also appear in the call specific menu.

[0036] As described above with reference to Figures 3 and 4, once the sub-menu is displayed, the user may activate a particular function by pressing the scroll key 9 to move the highlight bar 28 over the required option and by pressing the selection key 12. It will be apparent that when a sub-menu of specific call options is displayed rather than the call status menu, actuating the selection soft key 12 activates or selects the highlighted option in that sub-menu, as designated by the function indicator 31 at the bottom of the display 5 just above the selection key 12 where the word "select" appears when a sub-menu of options specific to a call is displayed.

[0037] Referring now to Figures 7A and 7B, there is shown a partial view of the front casing of the mobile telephone on which is shown a call status screen listing a held call 32 from "Brian Hill" and a waiting call 25 from "David Brown". It can be seen from Figure 7A that the held call 32 has the highlight bar 28 positioned over it and the waiting call 25 has the highlight bar 28 positioned over it in Figure 7B.

[0038] The function of the selection key 12 when there is a pending held call and a pending waiting call is "Unhold" when the held call 32 is highlighted and "Reject" when the waiting call 25 is highlighted, as indicated by the function indicators 33,34 in Figures 7A and 7B respectively. This enables a user to answer a held call and reject a waiting call quickly.

[0039] Figure 8A shows the same partial view of the telephone 1 illustrated in Figure 7A, except that the option key 11 has been activated. It can now be seen that the display 5 shows a call specific menu of options relating to the held call 32 from "Brian Hill" when there is another call 25, in this case from "David Brown", which is a waiting call. In the present example, the list of options appearing on the call specific menu includes "New Call"; "Drop All Calls" and "Main Menu" and some more commonly used features which are options which apply to the telephone rather than to call handling, such as "Audio Filter"; "Whisper" and "Mute".

[0040] Figure 8B shows the same partial view of the telephone 1 illustrated in Figure 7B, except that the option key 11 has now been activated. It can now be seen that the display 5 shows a call specific menu of options relating to the waiting call 25 from "David Brown". In the present example, the list of options includes "Forward"; "Answerphone"; "Voicemail"; "Drop all calls" and "Main Menu". Other options that apply more to the functions of the telephone rather than to call handling such as "Audio Filter"; "Whisper" and "Mute" also appear in the call specific menu.

[0041] Finally, referring to Figures 9A, 9B and 9C, there is shown a partial view of the front casing of the mobile telephone on which is shown a call status screen listing an answered call 24 from "John Smith", a held call 32 from "Brian Hill" and a waiting call 25 from "David

Brown". It can be seen that the answered call 24 from "John Smith" has the highlight bar 28 positioned over it in Figure 9A, the held call 32 from "Brian Hill" has the highlight bar 28 positioned over it in Figure 9B, and the waiting call 25 from "David Brown" has the highlight bar 28 positioned over it in Figure 9C.

[0042] The function of the selection key 12 when there is a pending answered call 24, a pending held call 32 and a pending waiting call 25 when the answered call 24 or the held call 32 is highlighted is "Swap", as indicated by the function indicator 35 at the foot of the display 5 in Figures 9A and 9B. The function of the selection key 12 when there is a pending answered call 24, a pending waiting call 25 and a pending held call 32, and the waiting call 25 is highlighted is "Reject" as indicated by the function indicator 36 in Figure 9C.

[0043] Figure 10A shows the same partial view of the telephone illustrated in Figure 9A, except that the option key 11 has been activated. It can now be seen that the screen displays a call specific menu of options relating to the answered call 24 from "John Smith" when there is two other calls 25,32, one from "Brian Hill" on hold and the other from "David Hill" which is waiting. In the present example, the list of options includes "Conference"; "Transfer"; "Send DTMF"; "Drop All Calls" and "Main Menu" and some more commonly used features which are options which apply to the telephone rather than to call handling, such as "Audio Filter"; "Whisper" and "Mute".

[0044] Figure 10B shows the same partial view of the telephone illustrated in Figure 9B, except that the option key has now been activated. It can now be seen that the display 5 shows a call specific menu of options relating to the held call 32 from "Brian Hill" when there is two other pending calls 24,25, one answered and one waiting. In the present example, the list of options includes "Conference"; "Transfer"; "Drop All Calls" and "Main Menu". Other options that apply more to the functions of the telephone rather than to call handling such as "Audio Filter"; "Whisper" and "Mute" also appear in the call specific menu.

[0045] Figure 10C shows the same partial view of the telephone illustrated in Figure 9C, except that the option key 11 has now been activated. It can now be seen that the display 5 shows a call specific menu of options relating to the waiting call 25 from "David Brown", when there are two other pending calls 24,32, one answered and one on hold. In the present example, the list of options includes "Forward"; "Answerphone"; "Voicemail"; "Drop all calls" and "Main menu". Other options that apply more to the functions of the telephone rather than to call handling such as "Audio filter"; "Whisper" and "Mute" also appear in the call specific menu.

[0046] Once the sub-menu is displayed, the user may activate a particular function by pressing the scroll key 9 to move the highlight bar 28 over the required option and by pressing the selection key 12. It will be apparent that when a sub-menu of specific call options is displayed

rather than the call status menu, actuating the selection soft key 12 activates or selects the highlighted option in that sub-menu, as designated by the function indicator 31 at the bottom of the display 5 just above the selection key 12 where the word "select" appears when a sub-menu of options specific to a call is displayed.

[0047] Figures 11A to 11C show flowcharts which will now be used to describe how the call handling system of the invention would work in practice. In this example, a sequence of steps in the operation of a mobile telephone is shown when one call (Call #1) is answered and a second call is received and waiting (Call #2) during the first. The procedure starts (Step S1) and waits for a first call (Call #1) to be received and answered (Step S2). If Call #1 is answered, then the telephone waits until a second call (Call #2) is received whilst the first call is active (Step S3). If Call #2 is waiting, a call status screen is displayed on the display 5 listing active Call #1 and waiting Call #2 (Step S4). The user can then select a particular call handling option for a specific call (Step S5). If options for Call #1 are to be selected (Step S6) (the flowchart continues in Figure 11B), the user actuates the scroll key 9 to move the highlight bar 28 over Call #1 (Step S8). The user can then press the option key 11 (Step S9), the selection key (Step S10), or the end key (Step S11).

[0048] If Step S9 is followed and the option key 11 is actuated, a sub menu of specific call options relating to Call #1 appears on the display (Step S9A). The user can now select one of the listed options by highlighting it using the scroll key 9 and by actuating the selection key 12 (Step S9B). If an option is selected (Step S9C), it is then carried out (Step S9D).

[0049] If Step S10 is followed and the selection key 12 is actuated, Call #1 is held and Call #2 is answered (Step S10A). The call status screen listing held Call #1 and active Call #2 is then displayed on the display 5 (Step S10B).

[0050] If Step S11 is followed and the "end" key is actuated, Call #1 is ended (Step S11A). The call status screen is then displayed listing only Call #2 (Step S11B).

[0051] If options for Call #2 are to be selected (Step S7) (the flowchart continues in Figure 11C), the user actuates the scroll key 9 to move the highlight bar 28 over Call #2 (Step S12). The user can then press the option key 11 (Step S13) or the selection key (Step S14).

[0052] If Step S13 is followed and the option key 11 is actuated, a sub menu of specific call options relating to Call #2 appears on the display (Step S13A). The user can now select one of the listed options by highlighting it using the scroll key 9 and by actuating the selection key 12 (Step S13B). If an option is selected (Step S13C), it is then carried out (Step S13D).

[0053] If Step S14 is followed and the selection key 12 is actuated, waiting Call #2 is rejected and Call #1 is continued (Step S14A). The call status screen listing Call #1 is then displayed on the display 5 (Step S14B).

[0054] It will be appreciated that the foregoing flow-

charts have been used to describe the sequence of events when there is an active answered call and a waiting call. However, it will be appreciated that there might also be a held call, or some other combination of active, waiting, held and data calls, all of which can be handled in a similar sequence of steps.

[0055] The flash memory 16 stores a program which is executable by the microcontroller 14 to carry out a method of call handling as described in more detail above.

[0056] Many modifications and variations of the invention falling within the terms of the following claims will be apparent to those skilled in the art and the foregoing description should be regarded as a description of the preferred embodiments only.

Claims

1. A mobile telecommunications device including a display and a control unit configured to show a menu of pending calls on the display, one call being selectable from the menu by a user to display a sub-menu listing call handling options associated with the selected call.
2. A mobile telecommunications device according to claim 1, wherein the list of options in a sub menu changes depending on the status of the selected call.
3. A mobile telecommunications device according to claim 1 or claim 2, wherein the list of options in a sub-menu changes depending on the status of the unselected pending calls.
4. A mobile telecommunications device according to any preceding claim, wherein the call selected from the menu is identified on the sub-menu adjacent the list of options associated with the selected call.
5. A mobile telecommunications device according to claim 4, wherein the control unit is configured to display the status of the selected call in the sub-menu.
6. A mobile telecommunications device according to any preceding claim, wherein the control unit is configured to display the status of each pending call in the menu.
7. A mobile telecommunications device according to any preceding claim, wherein the control unit includes a scroll key and an option key configured such that the user can highlight a pending call in the menu using the scroll key and select said highlighted call by pressing the option key.
8. A mobile telecommunications device according to
- claim 7, wherein the control unit includes a selection key having a function dependent on the status of the highlighted call when the menu of pending calls is displayed.
9. A mobile telecommunications device according to claim 7 or claim 8, wherein the control unit includes a selection key having a function dependent on the status of other pending calls when the menu of pending calls is displayed.
10. A mobile telecommunications device according to claim 8 or claim 9, wherein the function associated with the selection key may be performed by actuating the selection key after highlighting a call in the menu and before selecting that call to display a sub-menu listing call handling options associated with the selected call.
11. A mobile telecommunications device according to any preceding claim, comprising a mobile telephone.
12. A method of handling multiple calls in a mobile telecommunications device including a display and a control unit configured to display a menu of pending calls, the method including the step of selecting a pending call from the menu to display a sub-menu listing call handling options associated with the selected call.
13. A method according to claim 12, wherein the control unit includes a scroll key and the step of selecting a pending call from the menu includes operating the scroll key to highlight a call in the menu.
14. A method according to claim 13, wherein the control unit includes an option key and the step of selecting a call from the menu includes operating the option key to display the sub-menu listing call handling options associated with the highlighted call.
15. A method according to claim 14, wherein the control unit includes a selection key having a function dependent on the status of the highlighted call when the menu of pending calls is displayed, the method including the step of actuating the selection key after highlighting a call in the menu to perform said function and before selecting that call to display a sub-menu listing call handling options associated with the selected call.
16. A computer including a memory and a microcontroller, the memory storing a program executable by the microcontroller to carry out the method of call handling according to any of claims 12 to 15.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 4A




FIGURE 4B




FIGURE 5A




FIGURE 5B




FIGURE 6A




FIGURE 6B




FIGURE 7A




FIGURE 7B




FIGURE 8A




FIGURE 8B




FIGURE 9A




FIGURE 9B




FIGURE 9C




FIGURE 10A




FIGURE 10B




FIGURE 10C





FIGURE 11A






FIGURE 11C



(11)

EP 1 217 809 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
19.11.2003 Bulletin 2003/47

(51) Int Cl.7: **H04M 1/24, H04M 1/725,
H04M 1/247, H04M 3/42**

(43) Date of publication A2:
26.06.2002 Bulletin 2002/26

(21) Application number: **01309524.5**

(22) Date of filing: **12.11.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Garrett, Suzanne**
Fleet, Hants, GU13 0YN (GB)

(74) Representative: **Khan, Mohammed Saiful Azam**
Nokia IPR Department
Nokia House
Summit Avenue
Farnborough, Hants. GU14 0NG (GB)

(30) Priority: **20.12.2000 GB 0031075**

(71) Applicant: **Nokia Corporation**
02150 Espoo (FI)

(54) **Mobile telecommunications device**

(57) The present invention relates to a mobile telecommunications device such as a mobile telephone 1. The device includes a display (5) and a control unit

(4,10,11,12) configured to display a menu of pending calls, one call being selectable from the menu by a user to display a sub-menu listing call handling options associated with the selected call.




FIGURE 3A

EP 1 217 809 A3




FIGURE 3B




FIGURE 4A




FIGURE 4B



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 30 9524

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 6 070 068 A (SUDO FUKUHARU) 30 May 2000 (2000-05-30) * abstract; figures 1-11 * * column 6, line 6 - column 16, line 46 * ---	1-9, 11-14, 16	H04M1/24 H04M1/725 H04M1/247 H04M3/42
X	DE 199 26 660 A (BOSCH GMBH ROBERT) 14 December 2000 (2000-12-14) * abstract; figures 1-3 * * column 3, line 2 - column 4, line 44 * ---	1-8, 12-14, 16	
A	EP 0 633 684 A (US WEST TECHNOLOGIES INC) 11 January 1995 (1995-01-11) * abstract; figure 9 * * column 8, line 34 - column 9, line 26 * -----	1-16	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			H04B H04M
The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 29 September 2003	Examiner Teiwe, J
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 30 9524

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29-09-2003

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 6070068	A	30-05-2000	JP	9261758 A	03-10-1997

DE 19926660	A	14-12-2000	DE	19926660 A1	14-12-2000
			EP	1073248 A1	31-01-2001

EP 0633684	A	11-01-1995	US	5425077 A	13-06-1995
			EP	0633684 A2	11-01-1995
			US	5633912 A	27-05-1997

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.